

Journal of Integrated

OMICS

a methodological journal

Editors-in-Chief

Carlos Lodeiro-Espiño

Florentino Fdez-Riverola

Jens Coorsen

Jose-Luís Capelo-Martínez

JIOMICS

Journal of Integrated OMICS

Focus and Scope

Journal of Integrated OMICS, JIOMICS, provides a forum for the publication of original research papers, preliminary communications, technical notes and critical reviews in all branches of pure and applied "-omics", such as genomics, proteomics, lipidomics, metabolomics or metallomics. The manuscripts must address methodological development. Contributions are evaluated based on established guidelines, including the fundamental nature of the study, scientific novelty, and substantial improvement or advantage over existing technology or method. Original research papers on fundamental studies, and novel sensor and instrumentation development, are especially encouraged. It is expected that improvements will also be demonstrated within the context of (or with regard to) a specific biological question; ability to promote the analysis of molecular mechanisms is of particular interest. Novel or improved applications in areas such as clinical, medicinal and biological chemistry, environmental analysis, pharmacology and materials science and engineering are welcome.

Editors-in-Chief

Carlos Lodeiro-Espiño, University NOVA of Lisbon, Portugal

Florentino Fdez-Riverola, University of Vigo, Spain

Jens R. Coorsen, Brock University, Ontario, Canada

Jose-Luís Capelo-Martínez, University NOVA of Lisbon, Portugal

Regional editors

ASIA

Nelson Cruz
Saudi Arabia

Jens R. Coorsen
Brock University, Ontario, Canada

Europe

Gilberto Igrejas
University of Trás-os-Montes and Alto Douro, Life Sciences and Environmental School, Centre of Genetics and Biotechnology
Department of Genetics and Biotechnology, 5001-801 Vila Real, Portugal

South America

Marco Aurélio Zezzi Arruda
University of Campinas - Unicamp

Carlos H. I. Ramos
Chemistry Institute - UNICAMP, Brazil

Randen Patterson

Center for Computational Proteomics, The Pennsylvania State University, US

Associated editors

AFRICA

Saffaj Taouqif
Centre Universitaire Régional d'Interface, Université Sidi Mohamed Ben Abdallah, route d'Imouzzar-Fès, Morocco

Canhua Huang
The State Key Laboratory of Biotherapy, West China Hospital, Sichuan University, PR China

Ching-Yu Lin
Institute of Environmental Health, College of Public Health, National Taiwan University, Taipei, Taiwan

ASIA

Amita Pal
Division of Plant Biology, Bose Institute, Kolkata, India
Ashish Gupta
Centre of Biomedical Magnetic Resonance, SGP GIMS Campus, India

Chantragan Srisomsap
Chulabhorn Research Institute, Bangkok, Thailand

Debmalya Barh
Institute of Integrative Omics and Applied Biotechnology (IIOAB), India

Eiji Kinoshita

Department of Functional Molecular Science, Graduate School of Biomedical Sciences, Hiroshima University, Japan

Fan Chen

Institute of Genetics and Developmental Biology, Chinese Academy of Sciences (CAS), China

Ganesh Chandra Sahoo

BioMedical Informatics Center of Rajendra Memorial Research Institute of Medical Science (RMRIMS), Patna, India

Guangchuang Yu

Institute of Life & Health Engineering, Jinan University, Guangzhou, China

Hai-Lei Zheng

School of Life Sciences, Xiamen University, China

Hsin-Yi Wu

Institute of Chemistry, Academia Sinica, Taiwan

Ibrokhim Abdurakhmonov

Institute of Genetics and Plant experimental Biology Academy of Sciences of Uzbekistan, Uzbekistan

Jianghao Sun

Food Composition and Method Development Lab, U.S. Dept. of Agriculture, Agricultural Research Services, Beltsville, USA

Juan Emilio Palomares-Rius

Forestry and Forest Products Research Institute, Tsukuba, Japan

Jung Min Kim

Liver and Immunology Research Center, Daejeon Oriental Hospital of Daejeon University, Republic of Korea

Kobra Pourabdollah

Razi Chemistry Research Center (RCRC), Shahreza Branch, Islamic Azad University, Shahreza, Iran

Krishnakumar Menon

Amrita Center for Nanosciences and Molecular Medicine, Amrita Institute of Medical Sciences, Kochi, Kerala, India

Mohammed Rahman

Center of Excellence for Advanced Materials Research (CEAMR), King Abdulaziz University, Jeddah, Saudi Arabia

Ningwei Zhao

Life Science & Clinical Medicine Dept. ; Shimadzu (China) Co., Ltd

Poh-Kuan Chong

National University of Singapore, Singapore

Sanjay Gupta

Advanced Centre for Treatment, Research and Education in Cancer (ACTREC), Tata Memorial Centre, Kharghar, Navi Mumbai, India

Sanjeeva Srivastava

Indian Institute of Technology (IIT) Bombay, India

Suresh Kumar

Department of Applied Chemistry, S. V. National Institute of Technology, Gujarat, India

Toshihide Nishimura

Department of Surgery I, Tokyo Medical University, Tokyo, Japan

Vishvanath Tiwari

Department of Biochemistry, Central University of Rajasthan, India

Xuanxian Peng

School of Life Sciences, Sun Yat-sen University, Guangzhou, China

Youxiong Que

National Research & Development Center for Sugarcane, China Agriculture Research System(CARS), Fujian Agriculture & Forestry University, Republic of China

Yu Wang

Department of Pharmacology and Pharmacy, the University of Hong Kong, China

Zhiqiang Gao

Department of Chemistry, National University of Singapore

AUSTRALIA AND NEW ZEALAND**Emad Kiriakous**

Queensland University of Technology (QUT), Brisbane, Australia

Joëlle Coumans-Moens

School of Science and Technology, School of Medicine, University of New England, Australia

Maurizio Ronci

Mawson Institute, University of South Australia, Mawson Lakes, Australia

Michelle Colgrave

CSIRO Livestock Industries, St Lucia, Australia

Peter Hoffmann

Institute for Photonics & Advanced Sensing (IPAS), School of Chemistry and Physics, University of Adelaide, Australia

Valerie Wasinger

Bioanalytical Mass Spectrometry Facility, Mark Wainwright Analytical Centre, University of NSW, Australia

Wujun Ma

Centre for Comparative Genomics, Murdoch University, Australia

EUROPE**AhmetKoc, PhD**

Izmir Institute of Technology, Department of Molecular Biology & Genetics, Urla, Izmir, Turkey

Alejandro Gella

Department of Basic Sciences, Neuroscience Laboratory, Faculty of Medicine and Health Sciences, Universitat Internacional de Catalunya, Sant Cugat del Vallès-08195, Barcelona, Spain

Angelo D'Alessandro

Università degli Studi della Tuscia, Department of Ecological and Biological Sciences, Viterbo, Italy

Antonio Gnoni

Department of Medical Basic Sciences, University of Bari "Aldo Moro", Bari, Italy

Ana Varela Coelho

Instituto de Tecnologia Química e Biológica (ITQB) Universidade Nova de Lisboa (UNL), Portugal

Anna Maria Timperio

Dipartimento Scienze Ambientali Università della Tuscia Viterbo, Italy

Andrea Scaloni

Proteomics and Mass Spectrometry Laboratory, ISPAAM, National Research Council, via Argine 1085, 80147 Napoli, Italy

Angel P. Diz

Department of Biochemistry, Genetics and Immunology, Faculty of Biology, University of Vigo, Spain

Angela Chambery

Department of Life Science, Second University of Naples, Italy

Anna-Irini Koukkou

University of Ioannina, Department of Chemistry, Biochemistry Laboratory, Greece

António Sebastião Rodrigues

Departamento de Genética, Faculdade de Ciências Médicas, Universidade Nova de Lisboa, Portugal

Arzu Umar

Department of Medical Oncology, Laboratory of Breast Cancer Genomics and Proteomics, Erasmus Medical Center Rotterdam Josephine Nefkens Institute, Rotterdam, The Netherlands

Bart Devreese

Laboratory for Protein Biochemistry and Biomolecular Engineering, Department for Biochemistry and Microbiology, Ghent University, Belgium

Bernard Corfe

Department of Oncology, University of Sheffield, Royal Hallamshire Hospital, United Kingdom

Bruno Manadas

Center for Neuroscience and Cell Biology, University of Coimbra, Portugal

Carla Pinheiro

Plant Sciences Division, Instituto de Tecnologia Química e Biológica (ITQB), Universidade Nova de Lisboa, Portugal

Claudia Desiderio

Consiglio Nazionale delle Ricerche, Istituto di Chimica del Riconoscimento Molecolare (UOS Roma), Italy

Claudio De Pasquale

SAGa Department, University of Palermo, Italy

Celso Vladimiro Cunha

Medical Microbiology Department, Institute of Hygiene and Tropical Medicine, New University of Lisbon, Portugal

Christian Lindermayr

Institute of Biochemical Plant Pathology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, Germany

Christiane Fæste

Section for Chemistry and Toxicology Norwegian Veterinary Institute, Oslo, Norway

Christophe Cordella

UMR1145 INRA, Laboratoire de Chimie Analytique, Paris, France

Cosima Damiana Calvano

Università degli Studi di Bari, Dipartimento di Chimica, Bari, Italy

Daniela Cecconi

Dip. di Biotecnologie, Laboratori di Proteomica e Spettrometri di Massa, Università di Verona, Verona, Italy

Deborah Penque

Departamento de Genética, Instituto Nacional de Saúde Dr Ricardo Jorge (INSA, I.P.), Lisboa, Portugal

Dilek Battal

Mersin University, Faculty of Pharmacy, Department of Toxicology, Turkey

Domenico Garozzo

CNR ICTP, Catania, Italy

Ed Dudley

Institute of Mass Spectrometry, College of Medicine Swansea University, Singleton Park, Swansea, Wales, UK

Elia Ranzato

Dipartimento di Scienze e Innovazione Tecnologica, DiSIT, University of Piemonte Orientale, Alessandria, Italy

Elisa Bona

Università del Piemonte Orientale, DiSIT, Alessandria, Italy

Elke Hammer

Interfaculty Institute for Genetics and Functional Genomics, Ernst-Moritz-Arndt Universität, Germany

Enrica Pessione

University of Torino, Life Sciences and Systems Biology Department, Torino, Italy

Federica Pellati

Department of Life Sciences, University of Modena and Reggio Emilia, Italy

François Fenaille

CEA, IBI TecS, Service de Pharmacologie et D'Immunoanalyse (SPI), France

Fulvio Magni

Department of Health Science, Monza, Italy

Georgios Theodoridis

Department of Chemistry, Aristotle University, Greece

Gianfranco Romanazzi

Department of Environmental and Crop Sciences, Marche Polytechnic University, Italy

Giorgio Valentini

Università degli Studi di Milano, Dept. of Computer Science, Italy

Helen Gika

Chemical Engineering Department, Aristotle University of Thessaloniki, Greece

Hugo Miguel Baptista Carreira dos Santos

REQUIMTE-FCT Universidade NOVA de Lisboa, Portugal

Iñaki Álvarez

Institut de Biotecnologia i Biomedicina Vicent Villar Palasí, Universitat Autònoma de Barcelona, Barcelona

Jane Thomas-Oates

Centre of Excellence in Mass Spectrometry and Department of Chemistry, University of York, Heslington, UK

Jens Allmer

Molecular Biology and Genetics, Izmir Institute of Technology, Urla, Izmir, Turkey

Jesús Jorrín Novo

Agricultural and Plant Biochemistry, Proteomics Research Group, Department of Biochemistry and Molecular Biology, Córdoba, Spain

Johan Palmfeldt

Research Unit for Molecular Medicine, Aarhus University Hospital, Skejby, Aarhus, Denmark

Jose Câmara

University of Madeira, Funchal, Portugal

Juraj Gregan

Max F. Perutz Laboratories, University of Vienna, Austria

Karin Stensjö

Department of Photochemistry and Molecular Science, Ångström laboratory, Uppsala University, Sweden

Kay Ohlendieck

Department of Biology, National University of Ireland, Maynooth, Co. Kildare, Ireland

Konstantinos Kouremenos

Department of Chemistry, Umea University, Sweden

Luisa Brito

Laboratório de Microbiologia, Instituto Superior de Agronomia, Tapada da Ajuda, Lisbon, Portugal

Marco Lemos

GIRM & ESTM - Polytechnic Institute of Leiria, Peniche, Portugal

María Álava

Departamento de Bioquímica y Biología Molecular y Celular, Facultad de Ciencias, Universidad de Zaragoza, Spain

María de la Fuente

Legume group, Genetic Resources, Mision Biologica de Galicia-CSIC, Pontevedra, Spain

Maria Gabriela Rivas

REQUIMTE/CQFB, Departamento de Química, Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Portugal

Marie Arul

Muséum National Histoire Naturelle, Département RDDM, Plateforme de spectrométrie de masse et de protéomique, Paris, France

Marie-Pierre Bousquet

Institut de Pharmacologie et de Biologie Structurale, UPS/CNRS, Toulouse, France

Mario Diniz

Dept. Química-REQUIMTE, Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Portugal

Martina Marchetti-Deschmann

Institute of Chemical Technologies and Analytics, Vienna University of Technology, Vienna, Austria

Maxence Wisztorski

University Lille 1, Laboratoire de Spectrométrie de Masse Biologique, Fondamentale & Appliquée, Villeneuve d'Ascq, France

Michel Jaquinod

Exploring the Dynamics of Proteomes/Laboratoire Biologie à Grande Echelle, Institut de Recherches en Technologies et Sciences pour le Vivant, Grenoble, France

Mónica Botelho

Centre for the study of animal sciences (CECA)/ICETA, Porto, Portugal

Pantelis Bagos

Department of Computer Science and Biomedical Informatics, University of Central Greece, Greece

Patrice Francois

Genomic Research Laboratory, Service of Infectious Diseases, Department of Internal Medicine, Geneva

Patrícia Alexandra Curado Quintas Dinis Poeta

University of Trás-os-Montes and Alto Douro (UTAD), School of Agrary and Veterinary Sciences, Veterinary, Science Department, Portugal

Pedro Rodrigues

Centro de Ciências do Mar do Algarve, CCMAR, Faro, Portugal

Per Bruheim

Department of Biotechnology, Norwegian University of Science and Technology, Trondheim, Norway

Philipp Hess

Institut Universitaire Mer et Littoral (CNRS - Université de Nantes - Ifremer), Nantes, France

Pieter de Lange

Dipartimento di Scienze della Vita, Seconda Università degli Studi di Napoli, Caserta, Italy

Ralph Fingerhut

University Children's Hospital, Swiss Newborn Screening Laboratory, Children's Research Center, Zürich, Switzerland

Rubén Armañanzas

Computational Intelligence Group, Departamento de Inteligencia Artificial, Universidad Politécnica de Madrid, Spain

Ruth Birner-Gruenberger

Medical University Graz, Austria

Sebastian Galuska

Institute of Biochemistry, Faculty of Medicine, Justus-Liebig-University of Giessen, Germany

Serge Cosnier

Department of Molecular Chemistry, Grenoble university/CNRS, Grenoble, France

Serhat Döker

Cankiri Karatekin University, Chemistry Department, Cankiri, Turkey

Simona Martinotti

Dipartimento di Scienze e Innovazione Tecnologica, DiSIT, University of Piemonte Orientale, Alessandria, Italy

Spiros D. Garbis

Biomedical Research Foundation of the Academy of Athens, Center for Basic Research - Division of Biotechnology, Greece

Steeve Thany

Laboratoire Récepteurs et Canaux Ioniques Membranaires, UFR Science, Université d'Angers, France

Stefania Orrù

University of Naples Parthenope, Naples, Italy

Tàmar García Barrera

Departamento de Química y Ciencia de los Materiales, Facultad de Ciencias Experimentales, Universidad de Huelva, Spain

Vera Muccilli

Dipartimento di Scienze Chimiche, Università di Catania, Catania, Italy

Yuri van der Burgt

Leiden University Medical Center, Department of Parasitology, The Netherlands

SOUTH AMERICA

Andréa P.B. Gollucke

Hexalab/Catholic University of Santos, Brazil

Arlindo Moura

Department of Animal Science - College of Agricultural Sciences - Federal University of Ceara, Fortaleza, Brazil

Bruno Lomonte

Instituto Clodomiro Picado, Universidad de Costa Rica

Edson Guimarães Lo Turco

São Paulo Federal University, Brazil

Fabio Ribeiro Cerqueira

Department of Informatics and NuBio (Research Group for Bioinformatics), University of Vicosa, Brazil

Fernando Barbosa

Faculty of Pharmaceutical Sciences of Ribeirão Preto University of São Paulo, Brazil

Mário Hiroyuki Hirata

Laboratório de Biologia Molecular Aplicado ao Diagnóstico, Departamento de Análises Clínicas e Toxicológicas, Faculdade de Ciências Farmacêuticas, Universidade de São Paulo, Brazil

Jan Schripsema

Grupo Metabólica, Laboratório de Ciências Químicas, Universidade Estadual do Norte Fluminense, Campos dos Goytacazes, Brazil

Jorg Kobarg

Centro Nacional de Pesquisa em Energia e Materiais, Laboratório Nacional de Biociências, Brazil

Rossana Arroyo

Department of Infectomic and Molecular Biology, Center of Research and Advanced Studies of the National Polytechnical Institute (CINVESTAV-IPN), Mexico City, Mexico

Rubem Menna Barreto

Laboratorio de Biología Celular, Instituto Oswaldo Cruz, Fundação Oswaldo Cruz, Rio de Janeiro, Brazil

Vasco Azevedo

Biological Sciences Institute, Federal University of Minas Gerais, Brazil

NORTH AMERICA

Amosy M'Koma

Vanderbilt University School of Medicine, Department of General Surgery, Colon and Rectal Surgery, Nashville, USA

Anthony Gramolini

Department of Physiology, Faculty of Medicine, University of Toronto, Canada

Anas Abdel Rahman

Department of Chemistry, Memorial University of Newfoundland and Labrador St. John's, Canada

Christina Ferreira

Purdue University - Aston Laboratories of Mass Spectrometry, Hall for Discovery and Learning Research, West Lafayette, US

Eustache Paramithiotis

Caprion Proteomics Inc., Montreal, Canada

Jagjit Yadav

Microbial Pathogenesis and Toxicogenomics, Laboratory, Environmental Genetics and Molecular, Toxicology Division, Department of Environmental

Health, University of Cincinnati College of Medicine, Ohio, USA

Jiaxu Li

Department of Biochemistry and Molecular Biology, Mississippi State University, USA

Laszlo Prokai

Department of Molecular Biology & Immunology, University of North Texas Health Science Center, Fort Worth, USA

Madhulika Gupta

Children's Health Research Institute, University of Western Ontario London, ON, Canada

Michael H.A. Roehrl

Department of Pathology and Laboratory Medicine, Boston Medical Center Boston, USA

Olgica Trenchevska

Molecular Biomarkers, Biodesign Institute at Arizona State University, USA

Robert Powers

University of Nebraska-Lincoln, Department of Chemistry, USA

Susan Hester

United States Environmental Protection Agency, Durnam, USA

Thomas Kislinger

Department of Medical Biophysics, University of Toronto, Canada

William A LaFramboise

Department of Pathology, University of Pittsburgh School of Medicine Shadyside Hospital, Pittsburgh, USA

Xuequn Chen

Department of Molecular & Integrative Physiology, University of Michigan, Ann Arbor, USA

Ying Qu

Microdialysis Experts Consultant Service, San Diego, USA


JOURNAL OF INTEGRATED OMICS

*A methodological
Journal*

LETTER TO THE EDITOR

ANTIBIOTIC RESISTANCE AND THE ONE HEALTH APPROACH. THE IMPORTANCE OF
TEACHING OMICS AT UNIVERSITIES. 1

LETTER TO THE EDITOR



JOURNAL OF INTEGRATED OMICS

A METHODOLOGICAL JOURNAL

HTTP://WWW.JIOMICS.COM



LETTER TO THE EDITOR | DOI: 10.5584/jiomics.v13i2.224

Antibiotic resistance and the one health approach. The importance of teaching OMICS at Universities.

Gilberto Igrejas^{1,2,3}, J. L. Capelo^{3,4,5}, Pedro A.D. Teigas-Campos^{4,5}, Hugo M. Santos^{3,4,5}, Carlos Lodeiro^{3,4,5}, Luis Carvalho^{3,4,5}, E. Oliveira^{3,4,5}, Patricia Poeta^{6,7,8,9}.

¹Functional Genomics and Proteomics Unit, University of Trás-os-Montes and Alto Douro (UTAD), Vila Real, 5000-801, Portugal, ²Department of Genetics and Biotechnology, University of Trás-os-Montes and Alto Douro, Vila Real, 5000-801, Portugal, ³LAQV-REQUIMTE, Department of Chemistry, NOVA School of Science and Technology, Universidade Nova de Lisboa, Caparica, 2829-516, Portugal, ⁴BIOSCOPE Group, LAQV-REQUIMTE, Chemistry Department, Faculty of Science and Technology, NOVA University of Lisbon, Almada, 2825-466, Portugal. ⁵PROTEOMASS Scientific Society, Costa de Caparica, 2825-466, Portugal. ⁶Microbiology and Antibiotic Resistance Team (MicroART), Department of Veterinary Sciences, University of Trás-os-Montes and Alto Douro (UTAD), Vila Real, 5000-801, Portugal. ⁷Associate Laboratory for Animal and Veterinary Sciences (AL4AnimalS), Vila Real, 5000-801, Portugal, ⁸Associated Laboratory for Green Chemistry (LAQV-REQUIMTE), University NOVA of Lisbon, 1099-085 Caparica, Portugal, ⁹Veterinary and Animal Research Centre (CECAV), University of Trás-os-Montes e Alto Douro, 5000-801 Vila Real, Portugal.

Available Online: 30 December 2023

In the past, much like today, the field of antibacterial drugs revolved around compounds featuring a crucial four-atom amide ring known as a β -lactam. These drugs occupied a prominent place in the world of antibacterial pharmacopeia. The most iconic among them was penicillin – to be precise, benzylpenicillin or penicillin G – accompanied by fellow penams like amoxicillin and ampicillin. Their shared structural feature set them apart: a β -lactam ring fused to a five-membered thiazolidine ring.

However, the remarkable feature of certain β -lactam antibiotics was their ability to combat the formidable Gram-negative bacteria. These types of bacteria have a characteristic double-layered cell wall, making it doubly challenging for drugs to penetrate compared to the single-layered cell walls of Gram-positive bacteria.

As Gram-negative bacteria became resistant to β -lactam antibiotics, by the 1980s, a new class of β -lactams, particularly cephalosporins like ceftriaxone and cefotaxime, emerged as front-runners in the battle against Gram-negative bacteria. These cephalosporins featured a non- β -lactam ring as a six-membered dihydrothiazine, enhancing their efficacy against these resilient microbes [1]. Additionally, non- β -lactam antibiotics, such as quinolones and fluoroquinolones like ciprofloxacin, demonstrated the

capacity to breach the defences of Gram-negative bacteria, albeit through different mechanisms [2].

Later in the 1990s, a shift in the perception of antibiotics became evident as bacteria demonstrated their remarkable ability to adapt and develop resistance to these drugs rapidly. This shift was exemplified by the widespread emergence of methicillin-resistant *Staphylococcus aureus* (MRSA) and the production of β -lactamase enzymes by various bacteria, degrading β -lactam-based antibiotics. In response to the challenge posed by MRSA, researchers made noteworthy advancements in the field. They introduced the first oxazolidinone antibiotic, linezolid, as well as the lipopeptide antibiotic daptomycin. Concurrently, improved hospital practices played a pivotal role in preventing the transmission of resistant infections [3,4].

An ever-expanding global population, accompanied by a surge in international travel, has given rise to a pressing concern: the emergence of new resistance mechanisms against antibiotics. This alarming trend is exacerbated by the inadequate oversight of antibiotic usage in both human and animal populations. Thus, a paramount objective looms on the horizon: the discovery of an entirely novel structural class of antibiotics. The aim is to confound bacteria with substances they have never encountered, rendering them

*Corresponding author: José L. Capelo, email: jlcm@fct.unl.pt; Hugo M. Santos, email: hmsantos@fct.unl.pt

defenseless. Yet, this pursuit is riddled with challenges, from identifying such compounds to the arduous task of proving their effectiveness and safety to regulatory bodies. Consequently, many companies are actively exploring strategies to preserve the efficacy of older antibiotic classes while mitigating their inherent limitations [5].

Within the realm of pharmaceutical chemistry, the β -lactam structure stands as an enduring archetype. It bears a remarkable resemblance to a crucial element in the molecular dance of constructing bacterial cell walls. Specifically, the β -lactam structure mirrors a pair of alanine amino acids within peptidoglycan molecules, the favored targets of penicillin-binding proteins (PBPs)—essential components of bacterial cell walls. The β -lactam structure, inherently strained, is deftly harnessed in the meticulous design of antibiotic drugs. These drugs are engineered to divert electrons away from the β -lactam's carbonyl group, priming it for an irreversible interaction with PBPs. This artful maneuver effectively halts bacterial growth and culminates in cellular disintegration, liberating the cell's inner contents. Notably, β -lactam-containing drugs exhibit a remarkable degree of selectivity, as they discriminate between bacterial and human cell walls, ensuring precise targeting without harm to human cells.

Thus, currently, the following antibiotics can be found in the market: (i) Penicillins, including penicillin derivatives like amoxicillin and ampicillin, have long been cornerstones of antibiotic therapy. They primarily target Gram-positive bacteria by inhibiting bacterial cell wall synthesis. However, resistance to penicillins, often mediated by β -lactamase enzymes, is widespread. (ii) Cephalosporins, such as ceftriaxone and cefotaxime, are renowned for their broad-spectrum activity, effective against both Gram-negative and some Gram-positive bacteria. Yet, the emergence of extended-spectrum β -lactamases (ESBLs) has raised concerns about resistance. (iii) Fluoroquinolones like ciprofloxacin and levofloxacin are versatile antibiotics used to treat a range of infections. Resistance to fluoroquinolones can develop through chromosomal mutations in bacterial DNA gyrase and topoisomerase. (iv) Macrolide antibiotics, including erythromycin, clarithromycin, and azithromycin, find applications in respiratory and skin infections. Resistance mechanisms encompass efflux pumps and ribosomal modification. Finally (v) Tetracyclines like doxycycline and minocycline offer effectiveness against a broad spectrum of bacteria but face resistance challenges, primarily through efflux pumps and ribosomal protection proteins [6,7].

Furthermore, the Bacterial resistance mechanisms can be classified as follows. (i) Penicillins, including penicillin derivatives like amoxicillin and ampicillin, have long been cornerstones of antibiotic therapy. They primarily target Gram-positive bacteria by inhibiting bacterial cell wall

synthesis. However, resistance to penicillins, often mediated by β -lactamase enzymes, is widespread. (ii) Cephalosporins, such as ceftriaxone and cefotaxime, are renowned for their broad-spectrum activity, effective against Gram-negative and some Gram-positive bacteria. Yet, the emergence of extended-spectrum β -lactamases (ESBLs) has raised concerns about resistance. (iii) Fluoroquinolones like ciprofloxacin and levofloxacin are versatile antibiotics used to treat various infections. Resistance to fluoroquinolones can develop through chromosomal mutations in bacterial DNA gyrase and topoisomerase. (iv) Macrolide antibiotics, including erythromycin, clarithromycin, and azithromycin, find applications in respiratory and skin infections. Resistance mechanisms encompass efflux pumps and ribosomal modification. (iv) Tetracyclines like doxycycline and minocycline offer effectiveness against a broad spectrum of bacteria but face resistance challenges, primarily through efflux pumps and ribosomal protection proteins [8].

Addressing antibiotic resistance demands a multifaceted approach. This includes the development of novel antibiotics, judicious antibiotic use to minimise selection pressure, and robust infection control measures in healthcare settings. In this sense, the one-health approach is an integrative and holistic framework that recognizes the interconnectedness of human health, animal health, and environmental health. It emphasizes the interdependence of these three domains and underscores the need for collaborative efforts to address global health challenges [9].

The One Health approach is characterized by several key principles. First, it promotes interdisciplinary collaboration among various disciplines, including medicine, veterinary science, environmental science, and public health. Experts from these fields work together to tackle complex health issues. Second, it acknowledges that human and animal health are intricately linked to the health of ecosystems. Environmental factors, such as climate change and habitat destruction, can influence disease transmission. Third, One Health emphasizes preventive measures to reduce the emergence and spread of diseases, including early detection, surveillance, and rapid response to outbreaks [3,5,9].

The One Health approach holds significant importance in addressing a range of global health challenges. Many emerging infectious diseases, including zoonotic diseases transmitted between animals and humans, have their origins in wildlife or domestic animals. One Health enhances our ability to detect and respond to these threats. Moreover, the misuse of antibiotics in both human healthcare and animal agriculture contributes to antimicrobial resistance. One Health addresses this issue by promoting responsible antimicrobial use in both sectors [10,11]. Additionally, protecting natural ecosystems is vital for maintaining biodiversity and preventing the spillover of diseases [12]. One Health advocates for sustainable practices that benefit

both health and the environment.

Practically, the One Health approach finds applications in various domains. It is crucial for controlling diseases like Ebola, HIV/AIDS, and COVID-19, which originated in animals and crossed into human populations. Ensuring the safety of the food supply chain requires collaboration between veterinarians, food scientists, and public health officials to prevent outbreaks of foodborne illnesses. Furthermore, One Health principles inform conservation efforts by considering the health of wildlife, domestic animals, and their habitats to prevent the emergence of diseases like West Nile virus and Lyme disease.

Implementing the One Health approach requires addressing several challenges. These include funding constraints, policy coordination, and institutional collaboration. Continued research is needed to better understand the complex interactions between humans, animals, and the environment. Advocacy and education are essential to raise awareness and build support for One Health initiatives at the global, national, and local levels [3,5,9].

As stated above, the emergence and spread of antibiotic resistance pose a grave threat to global health [11]. Addressing this challenge requires innovative approaches that transcend disciplinary boundaries. Omics technologies, which encompass genomics, metagenomics, transcriptomics, proteomics, and metabolomics, have emerged as powerful tools in the fight against antibiotic resistance [13,14]. These approaches contribute significantly to our understanding of resistance mechanisms and play a pivotal role in the One Health approach, which emphasises the interconnectedness of human, animal, and environmental health [15]. Thus, as a foundational omics discipline, genomics is instrumental in decoding the genetic basis of antibiotic resistance. Whole-genome sequencing enables the identification of resistance genes and mutations, providing clinicians with crucial information for treatment decisions [16,17]. Moreover, comparative genomics allows tracking of resistance-related genetic elements across diverse species and environments. Metagenomics, an extension of genomics, broadens our perspective by studying entire microbial communities. This approach is indispensable in assessing the resistome—the collective reservoir of resistance genes within microbial ecosystems. Researchers can identify potential reservoirs of resistance genes by characterising the resistome in various ecological niches and monitoring their dynamics over time. In addition, Transcriptomics delves into the realm of gene expression patterns under different conditions, shedding light on how bacteria respond to antibiotic exposure at the molecular level. This understanding aids in the development of diagnostic tools and predictive models for antibiotic resistance. Moreover, Proteomics complements genomics and transcriptomics by characterizing the proteins involved in antibiotic resistance mechanisms. It helps identify

overexpressed or modified proteins, providing insights into resistance pathways and potential drug targets. Additionally, proteomic studies contribute to understanding the functional aspects of resistance genes [18]. Finally, Metabolomics focuses on the metabolic changes associated with antibiotic resistance, offering insights into altered metabolic pathways and potential vulnerabilities that can be exploited for therapeutic purposes.

The One Health approach recognises the intricate connections between human, animal, and environmental health to add another layer to the Omics importance. Omics technologies serve as vital instruments in translating this recognition into actionable strategies. Thus, Omics-based surveillance systems facilitate the early detection of emerging resistance threats in humans, animals, and environmental samples. Furthermore, monitoring the resistome in livestock, wildlife, and environmental reservoirs helps identify potential sources of resistant pathogens, enabling proactive interventions. Translational research guided by omics data aims to develop new antibiotics, antimicrobial therapies, and diagnostic tools. The insights gained from studying resistance mechanisms in diverse contexts inform the development of innovative solutions.

Omics data provide evidence-based support for policy decisions related to antimicrobial use in agriculture, healthcare, and the environment. This contribution promotes responsible antimicrobial stewardship and the implementation of effective regulatory measures.

Omics approaches are indispensable assets in the battle against antibiotic resistance, aligning seamlessly with the One Health approach's vision of holistic health solutions. These technologies empower us to unravel the intricate web of resistance mechanisms, track the dissemination of resistance genes, and inform evidence-based interventions. By harnessing the power of omics, we can more effectively safeguard the health of humans, animals, and the environment, mitigating the global threat posed by antibiotic resistance.

In the context of combatting antibiotic resistance and advancing the One Health approach, it is imperative that we equip the next generation of scientists and researchers with the knowledge and skills they need. This includes teaching omics technologies at universities—a crucial step in building a workforce capable of harnessing the potential of these powerful tools [9].

As omics technologies continue to evolve, students who are well-versed in these techniques will be at the forefront of cutting-edge research. They can contribute to innovative solutions and drive scientific progress in the fight against resistance.

Omics is inherently interdisciplinary, bridging gaps between

biology, chemistry, informatics, and more. Teaching omics encourages collaboration among students from diverse backgrounds, fostering a multidisciplinary approach to problem-solving.

In conclusion, the One Health approach is a vital framework for addressing the complex health challenges of our interconnected world. By recognizing the interdependence of human, animal, and environmental health and fostering collaboration across disciplines, we can better protect the health of all living beings and safeguard the planet for future generations.

To ensure that universities can effectively teach omics, providing them with the necessary resources and instrumentation is crucial. This support can come from various sources.

Governments should allocate funding specifically for acquiring omics equipment and developing omics-related programs at universities. Investing in education is an investment in the future of healthcare. Collaborations with biotechnology and pharmaceutical companies can help universities access cutting-edge omics technologies and offer students practical experience through internships and research projects. Finally, offering grants and scholarships to students pursuing omics-related studies can incentivise program enrolment. This financial support reduces barriers to entry and fosters talent development [9].

By teaching omics at universities and supporting them in acquiring the necessary instrumentation, we empower future generations to effectively tackle antibiotic resistance and other global health challenges. Through education and investment, we can bridge the gap between scientific knowledge and real-world solutions, ultimately safeguarding human, animal, and environmental health within the One Health framework.

Acknowledgment

PROTEOMASS Scientific Society is acknowledged by the funding provided to the Laboratory for Biological Mass Spectrometry Isabel Moura (#PM001/2019 and #PM003/2016). The authors acknowledge the funding provided by the Associate Laboratory for Green Chemistry LAQV, which is financed by national funds from FCT/MCTES (UIDB/50006/2020) and UIDP/50006/2020). H. M. S. acknowledges FCT/MCTES (Portugal) for his research contract FCT Investigator Program 2015 (IF/00007/2015).

References

- [1] L.B. Rice, Mechanisms of Resistance and Clinical Relevance of Resistance to β -Lactams, Glycopeptides, and Fluoroquinolones, *Mayo Clin Proc.* 87 (2012) 198. <https://doi.org/10.1016/J.MAYOCP.2011.12.003>.
- [2] M.N. Al-Hasan, A.P. Gould, C. Drennan, O. Hill, J.A. Justo, J. Kohn, P.B. Bookstaver, Empirical fluoroquinolones versus broad-spectrum beta-lactams for Gram-negative bloodstream infections in the absence of antimicrobial resistance risk factors, *J Glob Antimicrob Resist.* 22 (2020) 87–93. <https://doi.org/10.1016/J.JGAR.2019.12.015>.
- [3] G. Igrejas, J.L. Capelo, C. Lodeiro, P. Poeta, Editorial: Surveying Antimicrobial Resistance: The New Complexity of the Problem, *Front Microbiol.* 11 (2020) 531226. <https://doi.org/10.3389/FMICB.2020.01144/BIBTEX>.
- [4] H. Radhouani, N. Silva, P. Poeta, C. Torres, S. Correia, G. Igrejas, Potential impact of antimicrobial resistance in wildlife, environment, and human health, *Front Microbiol.* 5 (2014) 66221. <https://doi.org/10.3389/FMICB.2014.00023/BIBTEX>.
- [5] C.M. Marinho, T. Santos, A. Gonçalves, P. Poeta, G. Igrejas, A decade-long commitment to antimicrobial resistance surveillance in Portugal, *Front Microbiol.* 7 (2016) 215060. <https://doi.org/10.3389/FMICB.2016.01650/BIBTEX>.
- [6] V. Silva, M. Caniça, E. Ferreira, M. Vieira-Pinto, C. Saraiva, J.E. Pereira, J.L. Capelo, G. Igrejas, P. Poeta, Multidrug-Resistant Methicillin-Resistant Coagulase-Negative Staphylococci in Healthy Poultry Slaughtered for Human Consumption, *Antibiotics.* 11 (2022) 365. <https://doi.org/10.3390/ANTIBIOTICS11030365/S1>.
- [7] C. Miranda, V. Silva, G. Igrejas, P. Poeta, Impact of European pet antibiotic use on enterococci and staphylococci antimicrobial resistance and human health, *Future Microbiol.* 16 (2021) 183–201. <https://doi.org/10.2217/FMB-2020-0119>.
- [8] J.M. Munita, C.A. Arias, Mechanisms of Antibiotic Resistance, *Microbiol Spectr.* 4 (2016). <https://doi.org/10.1128/MICROBIOLSPEC.VMBF-0016-2015>.
- [9] X.X. Zhang, X.C. Li, Q.Y. Zhang, J.S. Liu, L.F. Han, Z. Lederman, J.M. Schurer, P. Poeta, M.T. Rahman, S.Z. Li, K. Kassegne, K. Yin, Y.Z. Zhu, S. Xia, L. He, Q.Q. Hu, L.S. Xiu, J.B. Xue, H.Q. Zhao, X.H. Wang, L. Wu, X.K. Guo, Z.J. Wang, B. Schwartländer, M.H. Ren, X.N. Zhou, Tackling global health security by building an academic community for One Health action, *Infect Dis Poverty.* 12 (2023) 1–6. <https://doi.org/10.1186/S40249-023-01124-W/FIGURES/1>.
- [10] C. Llor, L. Bjerrum, Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem, *Ther Adv Drug Saf.* 5 (2014) 229. <https://doi.org/10.1177/2042098614554919>.
- [11] C.L. Ventola, The Antibiotic Resistance Crisis: Part 1: Causes and Threats, *Pharmacy and Therapeutics.* 40 (2015) 277. <https://doi.org/Article>.
- [12] A. Jacob, K. Johnson, R. Cohen, S.E. Carlson, Incorporating natural ecosystems into global health and food security programmes, *Bull World Health Organ.* 98 (2020) 576. <https://doi.org/10.2471/BLT.20.252098>.
- [13] V.M. Chernov, O.A. Chernova, A.A. Mouzykantov, L.L. Lopukhov, R.I. Aminov, Omics of antimicrobials and antimicrobial resistance, *Expert Opin Drug Discov.* 14 (2019) 455–468. <https://doi.org/10.1080/17460441.2019.1588880>.
- [14] B.S. dos Santos, L.C.N. da Silva, T.D. da Silva, J.F.S. Rodrigues, M.A.G. Grisotto, M.T. dos S. Correia, T.H. Napoleão, M. V. da Silva, P.M.G. Paiva, Application of Omics Technologies for Evaluation of Antibacterial Mechanisms of Action of Plant-Derived Products, *Front Microbiol.* 7 (2016) 1466. <https://doi.org/10.3389/FMICB.2016.01466>.
- [15] A.N. Zhang, J.M. Gaston, C.L. Dai, S. Zhao, M. Poyet, M. Groussin, X. Yin, L.G. Li, M.C.M. van Loosdrecht, E. Topp, M.R. Gillings, W.P. Hanage, J.M. Tiedje, K. Moniz, E.J. Alm, T. Zhang, An omics-based framework for assessing the health risk of antimicrobial resistance genes, *Nature Communications* 2021 12:1. 12 (2021) 1–11. <https://doi.org/10.1038/s41467-021-25096-3>.
- [16] A.R. Raphenya, J. Robertson, C. Jamin, L. de Oliveira Martins,

- F. Maguire, A.G. McArthur, J.P. Hays, Datasets for benchmarking antimicrobial resistance genes in bacterial metagenomic and whole genome sequencing, *Scientific Data* 2022 9:1. 9 (2022) 1–6. <https://doi.org/10.1038/s41597-022-01463-7>.
- [17] C.U. Köser, M.J. Ellington, S.J. Peacock, Whole-genome sequencing to control antimicrobial resistance, *Trends in Genetics*. 30 (2014) 401. <https://doi.org/10.1016/J.TIG.2014.07.003>.
- [18] E. Torres-Sangiao, A.D. Giddey, C. Leal Rodriguez, Z. Tang, X. Liu, N.C. Soares, Proteomic Approaches to Unravel Mechanisms of Antibiotic Resistance and Immune Evasion of Bacterial Pathogens, *Front Med (Lausanne)*. 9 (2022) 850374. <https://doi.org/10.3389/FMED.2022.850374/BIBTEX>.